



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE  
SECRETARY

FL #	FL13488-R5
Application Type	Affirmation
Code Version	2017
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Sun-Tek Mfg
Address/Phone/Email	10303 General Dr Orlando, FL 32824 (407) 859-2117 jfeudner@sun-tek.com
Authorized Signature	James Feudner engineering@sun-tek.com
Technical Representative	James Feudner
Address/Phone/Email	10303 General Dr Orlando, FL 32824 engineering@sun-tek.com
Quality Assurance Representative	James Feudner
Address/Phone/Email	10303 General Dr Orlando, FL 32824 (407) 859-2117 Ext 111 engineering@sun-tek.com
Category	Sky Lights
Subcategory	Skylight
Compliance Method	Certification Mark or Listing
Certification Agency	National Accreditation & Management Institute
Validated By	National Accreditation & Management Institute

Referenced Standard and Year (of Standard)	<b>Standard</b>	<b>Year</b>
	AAMA/WDMA 101/I.S.2/NAFS-02	2002
	AAMA/WDMA/CSA 101/I.S.2/A440-05	2005
	AAMA/WDMA/CSA/I.S.2/A440-08	2008

Equivalence of Product Standards  
Certified By

I affirm that there are no changes in the new Florida Building Code which affect my product(s) and my product(s) are in compliance with the new Florida Building Code.

Documentation from approved Evaluation or Validation Entity    Yes    No    N/A

[FL13488\\_R5\\_COC\\_FPA\\_13488.3.6.9.pdf](#)  
[FL13488\\_R5\\_COC\\_FPA\\_13488.pdf](#)

Product Approval Method

Method 1 Option A

Date Submitted

10/09/2017

Date Validated

10/09/2017

Date Pending FBC Approval

Date Approved

10/15/2017

**Summary of Products**

FL #	Model, Number or Name	Description
13488.1	CM 2230	CM curb mounted polycarbonate dome .050 (largest size model 2230)
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		<b>Certification Agency Certificate</b> <a href="#">FL13488_R5_C_CAC_cm 050 NI010111M-R3.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> <a href="#">FL13488_R5_II_CM 2230 instal.inst.pdf</a> Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.2	CM 3046	CM curb mounted .060 polycarbonate dome (largest size model 3046)
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other:		<b>Certification Agency Certificate</b> <a href="#">FL13488_R5_C_CAC_cm 060 NI010112A-R3.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> <a href="#">FL13488_R5_II_CM 3046 instal.inst.pdf</a> Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.3	CM 4646	Curb mounted .070 polycarbonate dome (largest size model 4646)
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other:		<b>Certification Agency Certificate</b> <a href="#">FL13488_R5_C_CAC_cm 070 NI006198-R5.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> <a href="#">FL13488_R5_II_CM 4646 instal.inst.pdf</a> Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.4	CMA 2230	CMA curb mounted aluminum ring .050 polycarbonate dome (largest size model 2230)
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		<b>Certification Agency Certificate</b> <a href="#">FL13488_R5_C_CAC_cma 050 NI010113-R2.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> <a href="#">FL13488_R5_II_CMA 2230 instal.inst.pdf</a> Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.5	CMA 3046	CMA curb mounted aluminum ring .060 polycarbonate (largest size model 3046)
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Other:		<b>Certification Agency Certificate</b> <a href="#">FL13488_R5_C_CAC_cma 060 NI010113A-R2.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b>

	Design Pressure: +60/-60 Other:	FL13488_R5_II_CMA_3046_instal_inst.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.6	CMA 4646	CMA curb mounted aluminum ring .070 polycarbonate dome (largest size model 4646)
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other:	<b>Certification Agency Certificate</b> FL13488_R5_C_CAC_cma_070_NI006226-R5.pdf <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> FL13488_R5_II_CMA_4646_instal_inst.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.7	SF 2230	Self flashing .050 polycarbonate dome (largest size model 2230)
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:	<b>Certification Agency Certificate</b> FL13488_R5_II_SF_2230_instal_inst.pdf <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> FL13488_R5_II_SF_2230_instal_inst.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.8	SF 3046	Self flashing .060 polycarbonate dome (largest size model 3046)
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other:	<b>Certification Agency Certificate</b> FL13488_R5_C_CAC_sf3046NI010111A-R4.pdf <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> FL13488_R5_II_SF_3046_instal_inst.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.9	SF 4646	Self flashing .080 polycarbonate dome (largest size model 4646)
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other:	<b>Certification Agency Certificate</b> FL13488_R5_C_CAC_sf080_NI009450-R4.pdf <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> FL13488_R5_II_SF_4646_instal_inst.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:
13488.10	STT	Sun-Tek Tube(self flashing) 10", 14", 21"
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +80/-80 Other: not rated for impact.	<b>Certification Agency Certificate</b> FL13488_R5_C_CAC_sttNI010115-R5.pdf <b>Quality Assurance Contract Expiration Date</b> 10/31/2019 <b>Installation Instructions</b> FL13488_R5_II_2.22.10_STT_Final_Inst_ructions.pdf Verified By: James D. Wells, Jr. P.E. 53616 Created by Independent Third Party: Yes <b>Evaluation Reports</b> Created by Independent Third Party:

[Back](#) [Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275

(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**



Credit Card  
**Safe**

